Notice of Allowability	Application No.	Applicant(s)
	10/036,090	TAKEI, HIROMITSU
	Examin r	Art Unit
	Nguyen N Hanh	2834
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendments filed on 4/12/04.</u>		
2. The allowed claim(s) is/are <u>21 and 23-29</u> .		
3. The drawings filed on 04 August 2003 are accepted by the Examiner.		
4.		
Attachm nt(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Mat rial	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	e ^

Application/Control Number: 10/036,090 Page 2

Art Unit: 2834

DETAILED ACTION

Remarks

1. In view of indicated allowable subject matter in previous Office Action, the cancellation of claims 1 and 3-9 has put all the remaining claims in a condition for allowance.

Allowable Subject Matter

- 2. Claims 21, 23-29 are allowed.
- 3. The following is a statement of reasons for the indication of allowable subject matter: the prior art of record does not show a rotor for a permanent magnet embedded motor, the rotor comprising: a rotor core comprising a plurality of stacked plates of a magnetic material and having a plurality of slits formed at corresponding poles; and at least one bond magnet embedded in at least one of the slits, wherein a length dimension and a width dimension of the at least one bond magnet in a cross-section orthogonal to an axis of the rotor is are both greater than a corresponding dimension of the at least one of the slits, and the at least one bond magnet is fitted in the at least one of the slits under pressure and an outer peripheral face of the at least one bond magnet is fitted into an entire inner peripheral face of the plurality of stacked plate regardless of an unevenness of the inner peripheral face of the plurality of stacked plate regardless of an unevenness of the inner peripheral face of the plurality of stacked plates of the rotor core.

Application/Control Number: 10/036,090 Page 3

Art Unit: 2834

Conclusion

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hanh N Nguyen whose telephone number is (703) 305-3466. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner 's supervisor, Nestor Ramirez can be reached on (703) 308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9306 for regular communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1782.

Kong Lih

HNN

June 17, 2004

DANG LE PRIMARY EXAMINER